

DROP CENTER WHEELS

Rim Size			Nominal Rim	Minimum	Forming
Width	Contour	X Diameter	Thickness (in)	Diameter	Method
5 LB	X	14	0.121	12.328	Rollformed
6 LB	X	14	0.121	12.328	Rollformed
8 LB	X	14	0.121	12.328	Rollformed
4-1/2 LB	X	15	0.121	12.479	Rollformed
5 LB	X	15	0.121	12.479	Rollformed
6 LB	X	15	0.121	12.479	Rollformed
8 LB	X	15	0.148	12.479	Rollformed
10 LB	X	15	0.148	12.479	Rollformed
13 LB	X	15	0.148	12.479	Rollformed
6 LB	X	16	0.148	13.479	Rollformed
8 LB	X	16	0.179	13.479	Rollformed
10 LB	X	16	0.179	13.479	Rollformed
W11	-	16.1	0.179	13.479	Rollformed
W14	-	16.1	0.148	13.479	Rollformed
5-1/2 JA	X	13	0.121	11.248	Rollformed
6 LW	X	13	0.100	11.248	Rollformed
7 LW	X	13	0.100	11.248	Rollformed
8 LW	X	13	0.100	11.248	Rollformed
10 LW	X	13	0.100	11.248	Rollformed
6 JJ	X	14	0.121	12.328	Rollformed
7 JJ	X	14	0.121	12.328	Rollformed
8 JJ	X	14	0.121	12.328	Rollformed
6 JJ	X	15	0.135	12.625	Rollformed
7 JJ	X	15	0.135	12.625	Rollformed
8 JJ	X	15	0.135	12.625	Rollformed
10 JJ	X	15	0.135	12.625	Rollformed
12 JJ	X	15	0.135	12.625	Rollformed
14 JJ	X	15	0.135	12.625	Rollformed
7 LW	X	15	0.100	12.625	Rollformed
8 LW	X	15	0.100	12.625	Rollformed
10 LW	X	15	0.100	12.479	Rollformed
12 LW	X	15	0.100	12.479	Rollformed
13 LW	X	15	0.100	12.479	Rollformed
14 LW	X	15	0.100	12.479	Rollformed
15 LW	X	15	0.100	12.479	Rollformed
6 JJ	X	16	0.165	13.479	Rollformed
7 JJ	X	16	0.165	13.479	Rollformed
8 JJ	X	16	0.165	13.479	Rollformed
10 JJ	X	16	0.165	13.479	Rollformed
6-3/4	X	16-1/2	0.165	13.479	Rollformed
8-1/4	X	16-1/2	0.165	13.479	Rollformed
9-3/4	X	16-1/2	0.165	13.479	Rollformed
12	X	16-1/2	0.165	13.479	Rollformed
14	X	16-1/2	0.165	13.479	Rollformed
7 UL	X	15	0.072	12.479	Spinformed
8 UL	X	15	0.072	12.479	Spinformed

Rim Size Width Contour X Diameter			Nominal Rim Thickness (in)	Minimum Diameter	Forming Method
10 UL	X	15	0.072	12.479	Spinformed
10 UL Deep	X	15	0.072	12.479	Spinformed
12 UL	X	15	0.072	12.479	Spinformed
12 UL Deep	X	15	0.072	12.479	Spinformed
13 UL	X	15	0.072	12.479	Spinformed
13 UL Deep	X	15	0.072	12.479	Spinformed
14 UL	X	15	0.072	12.479	Spinformed
14 UL Deep	X	15	0.072	12.479	Spinformed
15 UL	X	15	0.072	12.479	Spinformed
15 UL Deep	X	15	0.072	12.479	Spinformed

Additional Sizes Available Upon Request